

RELEVANT

GOLD

TSXV:RGC OTCQB:RGCCF



DEFINING A NEW MEGA-DISTRICT IN WYOMING WITH ABITIBI-SCALE POTENTIAL

CAUTIONARY STATEMENT

This presentation contains certain statements that constitute forward looking information within the meaning of applicable securities laws. These statements relate to future events of Relevant Gold Corp. ("Relevant" or "the Company"). Any statements that express or involve discussions with respect to predictions, expectations, beliefs, plans, projections, objectives, assumptions or future events or performance (often, but not always, using words or phrases such as "seek", "anticipate", "plan", "continue", "estimate", "expect", "forecast", "may", "will", "project", "predict", "potential", "targeting", "intend", "could", "might", "should", "believe", "outlook" and similar expressions) are not statements of historical fact and may be forward looking information. Forward looking information in this presentation includes, but is not limited to, statements with respect to successfully consolidating further land packages, Relevant's ability to raise sufficient capital to fund exploration programs and its obligations under property agreements, seek a listing on a recognized stock exchange, drilling plans, financing success, discovery and production of minerals, metal prices and currency exchange rates, timing of technical reports and drill results, corporate and technical objectives, permitting success and relationships with stakeholders.

Forward looking information involves known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any future results, performance or achievements expressed or implied by the forward-looking information. Such risks include, among others, the inherent risk of the mining industry; adverse economic and market developments; the risk that the Company will not be successful in completing additional acquisitions; risks relating to the estimation of mineral resources; the possibility that the Company's estimated burn rate may be higher than anticipated; risks of unexpected cost increases; risks of labour shortages; risks relating to exploration and development activities; risks relating to future prices of mineral resources; risks related to work site accidents, risks related to geological uncertainties and variations; risks related to government and community support of the company's projects; risks related to global pandemics and other risks related to the mining industry. The Company believes that the expectations reflected in such forward-looking information are reasonable, but no assurance can be given that these expectations will prove to be correct and such forward-looking information should not be unduly relied upon. These statements speak only as of the date of this presentation. The Company does not intend, and does not assume any obligation, to update any forward-looking information except as required by law.

This document does not constitute an offer to sell, or a solicitation of an offer to buy, securities of the Company in Canada, the United States or any other jurisdiction Any such offer to sell or solicitation of an offer to buy the securities described herein or during the presentation will be made only pursuant to subscription documentation between the Company and prospective purchasers. Any such offering will be made in reliance upon exemptions from the prospectus and registration requirements under applicable securities laws, pursuant to a subscription agreement to be entered into by the Company and prospective investors.

The scientific and technical contents of this presentation have been approved by Mr. Brian C. Lentz, CPG, Chief Exploration Officer of the Company, who is a "Qualified Person" as defined by Canadian National Instrument 43-101 (Standards of Disclosure for Mineral Projects). Mr. Lentz is not independent of the Company.







STRONG VALUE PROPOSITION

- PROVEN TEAM OF VALUE CREATORS WITH DEEP HUMAN CAPITAL INFRASTRUCTURE
- UNLOCKING A POTENTIAL MEGA-DISTRICT; ABITIBI-LIKE POTENTIAL
- VERY LARGE LAND POSITION; MULTIPLE PERMITTED DRILL TARGETS
- HIGH-GRADE GOLD AT SURFACE; ASSAYS UP TO 168 g/t Au
- HIGH-GRADE GOLD AT DEPTH; DRILLED 83.8 g/t Au OVER 1 M AT GOLDEN BUFFALO
- 1,560 M LEWISTON DRILL PROGRAM CUT GOLD IN 10 OF 11 HOLES
- **50+ KM OF PROSPECTIVE ABITIBI-STYLE SHEAR ZONES ACROSS 5 PROJECTS**
- PIPELINE OF DISCOVERY OPPORTUNITIES IN MINING-FRIENDLY WYOMING
- BUILDING AN EXPLORATION STORY TO LIVE ON FOR CENTURIES







CORPORATE STRUCTURE

MAJOR SHAREHOLDERS: (as of 9/1/2023)


- Management and Insiders
- New Gold
- Rob McEwen
- Ultra High Net Worth Individuals
- Retail

SHARE BREAKDOWN:

Issued and Outstanding: 63,791,226 Reserved for Issuance: 21,896,240*




Founders' Warrants: 12,000,000 @ \$0.13 expire 2025 \$1,560,000 Management/Board Options: 3,750,000 @ \$0.35 expire 2027 \$1,312,500 General Warrants: 6,146,240 @ \$0.35 expire 2026 \$2,151,184







MEET THE TEAM



INDEPENDENT DIRECTOR

Dr. Peter Megaw, PhD. 40+ Years Experience PhD., Economic Geology

Cofounder, MAG Silver Corp.



INDEPENDENT DIRECTOR

Sarah Weber 20+ Years Experience P. Geo / MBA

CEO, C3 Alliance Corp.



INDEPENDENT DIRECTOR

Ronald L. Parratt 40+ Years Experience M.Sc. Economic Geology

Cofounder, Auex Ventures, Inc.



DIRECTOR, CEO

Rob Bergmann 15+ Years Experience B.Sc. Geology

Founder, Relevant Gold Corp.



DIRECTOR, CXO

Brian Lentz

15+ Years Experience B.Sc. Geology / P. Geo

Founder, Relevant Gold Corp.



Mahesh Liyanage RGC CFO



Sam Siebenaler VP Corporate Dev.



Kristopher Jensen Corporate Comms. Mgr.



Dr. Dean Peterson, PhD Technical Advisor



or. Thomas Campbell, Ph Technical Advisor



Dr. Kevin Chamberlain, PhD Technical Advisor





TARGET: OROGENIC GOLD = 1 BILLION OUNCES

HOW OROGENIC GOLD IS FORMED


Orogenic gold deposits account for about 1/3 of the world's gold production. Here is how they formed:

SOURCE: Metal enriched source fluid deep in the earth's subsurface

PATHWAY: Major, deep rooted fault structures formed, creating pathways that allowed these gold enriched fluids to rise

TRAP: Gold-bearing fluids become trapped in secondary structures of favorable host rocks, allowing the gold to precipitate out.

of all the orogenic gold produced in the Timmins, Kirkland Lake, and Hemlo camps in the Abitibi (106.25 Moz) was found in secondary structures within 7 km of the primary fault structure (i.e. Destor Porcupine Fault).2



H. E. Earth's continental crustal gold endowment. Earth Planet. Sci. Lett. 267, 45-55

Peterson, Dean. Ph.D. Dissertation, 2001



OPPORTUNITY OF SCALE

The Abitibi Gold Belts; Prolific Orogenic Shear Zone Hosted Gold Deposits, > 200 Moz





Figure Source: Modified from Visual Capitalist, Canada's Gold Exploration Frontier: The Abitibi Greenstone Belt, May 19, 2021





TSXV:RGC

OTCQB: RGCCF



Wyoming and Abitibi Were Connected When Gold Formed ~2.7 – 2.6 Billion Years Ago



ABITIBI THESIS




~2.65 BILLION YEARS AGO



The Wyoming Province and the Superior Province (Abitibi) were connected when gold mineralization occurred. (Chamberlain et. al. 2006)

~2.1 BILLION YEARS AGO




Continental rifting caused the Wyoming Province to begin to separate, rotate, and move to its current location over many millions of years.

MODERN DAY




Relevant Gold applied these insights to secure the most prospective ground in Wyoming and is pursuing the next great orogenic gold discovery.







RELEVANT GOLD CAMPS | NEW ABITIBI



*Figure modified from Chamberlain et. al. 2006

TECHNICAL SUMMARY


- Craton scale structural zone
- Same age and orientation as belts in Superior Province
 - Destor Porcupine, Cadillac & Larder Lake
- Cross-cutting rock types known to host Orogenic and VMS style mineralization
- Historic gold mines throughout the OTSB across the Wyoming Province





CAMP-SCALE OPPORTUNITY

The South Pass Gold Camp is comparable in size to the Canadian Malartic area in the Abitibi Gold Belts





PORTFOLIO AT A GLANCE

2 gold camps, 5 district-scale projects

SOUTH PASS CAMP

BRADLEY PEAK CAMP





9,600 acres (3,884 hectares) of BLM claims

Highlights:

- ~3,500m drill program in 2022
- **54%** of holes returned anomalous gold
- Top intercept: 83.8 g/t Au over 1 m
- Rock chip assays up to 160 g/t Au from trench
- Abundant coarse visible aold
- GBSZ extended to ~2km strike

LEWISTON



14,000 acres (5,665 hectares) of BLM claims including 58 acres of patented claims at Hidden Hand

Highlights:

- 1.560 m drill program (2023) cut gold in 10 of 11 holes
- 1,690 oz/ton Au (historic sample)
- 62 g/t Au, 8.1% Cu (RGC sample)
- > 10 km of potentially mineralized shear zones
- Strong arsenic correlation
- 6 district-scale targets defined

SHIELD-CARISSA



>2,000 acres (800 hectares) of BLM claims, including historic **B&H** and **Shields** mines. Adjacent to the historic Carissa Mine

Highlights:

- 4.6 g/t Au rock chip sample (RGC)
- 18.9 g/t Au and 486 g/t Ag (RGC 2023 samples)
- > 3 km potentially mineralized shear zone
- Estimated historic gold production at adjacent Carissa Mine: **200,000 oz** Au

WINDY FLATS



6,200 acres (2,500 hectares) of BLM claims

Highlights:

- Greenfields project with large unexplored zone of shearing recently exposed because of the wind
- Same stratigraphy found elsewhere in the South Pass Formation

BRADLEY PEAK



5,700 acres (2,306 hectares) of BLM claims located in the Seminole Mountains in central Wvomina


Highlights:

- **89 g/t Au, 5.8% Cu** (historic samples)
- **6.5 g/t Au, 3.7% Cu** (RGC historic sample)
- 5.3 g/t Au, 107 g/t Ag, and 6.25% Cu (RGC 2023 samples)
- >21 km of potentially mineralized shear zones
- Identified 3 distinct target zones (Kortes, Apex, and Deserted Treasure)





APPROACH SYSTEMATIC EXPLORATION







PROOF OF CONCEPT

Orogenic Gold Checklist; RGC district-scale exploration checks all the boxes

	CRITERIA	DESCRIPTION
✓	Structural Setting	 Major east-west Archean fault structures cutting across WY Mineralized secondary shear zones Brittle-ductile transition Complex re-folded folds Rheologic contrasts
	Host Rock	 Amphibolites & greenstones Greywackes Carbonate facies iron formation
	Alteration	Chlorite, Carbonate, Sericite, Epidote, Sulfidation, Silica
	Geochemistry	· Au, Ag, As, Bi, Cu, Sb, Pb, Zn
V	Mineralization	 Orogenic gold + intrusion style mineralization styles High-grade and visible orogenic gold proven (168 g/t Au) Orogenic sulfide minerals; arsenopyrite, pyrrhotite, & pyrite
✓	Land Position	 5 district-scale assets across 150 km Archean belt Big enough to host the largest known orogenic type deposits Well established infrastructure, access, water, and power
V	Scalable Opportunity	 Connection to Abitibi during gold mineralization (2.65 ba) Multiple high-grade targets with Abitibi-scale potential
V	Permitting	 Streamlined State and Federal permitting pathway Multiple exploration permits in hand Wyoming has deep roots in mining and natural resources




*2020 Trench sample collected by Golden Buffalo Mining Company





2023 EXPLORATION SUMMARY

Regional Airborne Geophysics survey flown over entire map area in 2023





SUCCESSFUL EXECUTION

~ ~		
01 2023	Feb. 6, 2023	RGC Intersects 83.8 g/t Au over 1m at Golden Buffalo; 54% of holes intersect shear-hosted gold mineralization
	Feb. 16, 2023	RGC Reports 4.1 g/t Au in Trench Sampling at Golden Buffalo; highest grades along major contacts of GBSZ
Q2 2023	May 4, 2023	RGC Announces Non-Brokered \$3M Private Placement
	May 24, 2023	South Pass, Bradley Peak to be included in WSGS Airborne Geophysical Program adding significant value to shareholders at no additional cost
	June 8, 2023	RGC Closes Oversubscribed \$3M Non-Brokered Private Placement at ~25% premium to share price
Q3 2023		RGC Lists on TSXV
	Sep. 13, 2023	RGC Commences Drilling at the Lewiston Project
	Sep. 18, 2023	RGC Adds US Listing on OTCQB
Q4 2023	Nov. 7, 2023	RGC Bradley Peak Sampling includes highlights of 5.3 g/t Au, 107 g/t Ag, and 6.25% Cu
	Nov. 16, 2023	RGC Completes 1,560 m of Drilling at Lewiston; Proved an orogenic system of scale
	Dec. 14, 2023	RGC Samples 18.9 g/t Au and 486 g/t Ag along 2.7 km of Mineralized Shear Zones at Shield-Carissa
C	7	RGC more than doubles the number of high-grade drill targets at Bradley Peak, Shield-Carissa and Golden Buffalo (12+)
		Increased the number of mapped shears to 50+ km of secondary shears across RGC's 5 district-scale projects
Q1 2024	Jan. 15, 2024	RGC Buys Out Option Completing Acquisition of 700 Leased Hectares at Golden Buffalo Project, eliminating \$16.2M in calendar-driven payments
	Feb. 15, 2024	RGC Cuts Widespread Gold Mineralization at the Heavy Hand Target 10 of 11 Drill Holes Hit in First-Ever Drill Program
	Mar. 13, 2024	RGC Reveals 3.5 km² Geochemical Soil Anomaly at Golden Buffalo
	Mar. 25, 2024	Regional magnetics survey highlights major anomalies at Bradley Peak and South Pass Gold Camps





NEAR-TERM CATALYSTS

The 2024 exploration season will seek to define the gold potential with geophysics and drilling at South Pass and identify, refine and permit high-grade drilling targets at Bradley Peak.

2024 EXPLORATION CATALYSTS



ACQUISITIONS & PERMITTING



ADVANCED GEOPHYSICS



© DRILL TARGET REFINEMENT



FOLLOW UP DRILL PROGRAM





- ▼ Tightly held structure: ~63M shares outstanding
- Upside Multiplier: A belt-scale concept with a pipeline of discovery opportunities
- First Mover Advantage: 45k-acre land package with 5 district-scale projects in mining-friendly Wyoming
- Grade is King: Proven high-grade orogenic gold at surface and at depth
- Strong Market Position: A pre-discovery opportunity with many near-term catalysts and recent successes
- Human Capital Infrastructure: Backed by proven value creators who have taken multiple companies from exploration stage small caps to multi-\$B producers/exits













"Any time you can apply a **really**revolutionary idea to a new area and
then be able to tie up a big piece of it,
in an area where you know you can
work, that's a **remarkable**opportunity under any circumstances."

Dr. Peter Megaw, PhDIndependent Director, Relevant Gold Corp.






APPENDIX 2023 HIGHLIGHTS AND RESULTS





2023 EXPLORATION SUMMARY


Regional Airborne Geophysics survey flown over entire map area in 2023





GEOPHYSICAL RESULTS EXECUTIVE SUMMARY

- MAGNETIC SURVEY PROVIDES KEY DETAILS LACKING IN REGIONAL GEOLOGY MAPS
- DETAILED RELEVANT GOLD MAPPING AGREES WITH MAGNETIC DATA
- MAGNETICS HIGHLIGHT CRITICAL OROGENIC STRUCTURES THAT COMMONLY TRANSPORT GOLD MINERALIZATION
- CRUSTAL SCALE ARCHEAN STRUCTURES IDENTIFIED AND CONFIRMED
- > GEOPHYSICS SUPPORTS OUR TARGET CONCEPTS AND WE CAN TIGHTEN TARGETS WITH MAGNETIC DATA
- SOUTH PASS AND BRADLEY PEAK NOW CLEARLY CONNECTED ALONG THIS PRIMARY STRUCTURE
- HIGH-GRADE GOLD CONFIRMED IN SECONDARY STRUCTURES ACROSS BOTH RGC CAMPS (South Pass & Bradley Peak)
- > TWO MOST PROLIFIC STRUCTURAL/MAGNETIC ANAMOLIES ARE AT SOUTH PASS AND BRADLEY PEAK
- > 100 KM2 ANOMALY AT BRADLEY PEAK ENCOURAGES EXPEDITED DEVELOPMENT TO DRILLING





ABITIBI COMPARISON





Figure source: Harris et. al., 2023, A study of faults in the Superior province of Ontario and Quebec using the random forest machine learning algorithm: Spatial relationship to gold mines



Figure source: Rabeau et. al., 2011



- Magnetic data in Abitibi highlights major Archean structures like the Cadillac-Larder deformation zone.
- Sharp linear contrasts in the regional magnetic data matches up with Archean structural trends.
- First-order exploration tool used to identify primary structural controls on gold mineralization throughout the Abitibi Gold Belts.






Figure source: Harris et. al., 2023





OPPORTUNITY OF SCALE



- New Wyoming magnetics survey confirms Archean structure comparable in size and scale to the Cadillac-Larder Lake Deformation Zone
- Gold mineralization commonly occurs in secondary structures within 7 km of the major structures in the Abitibi and Wyoming.
- The magnetic data confirms we have some of the best discovery opportunities on Wyoming's main street!

Figure Source: Modified from Visual Capitalist, Canada's Gold Exploration Frontier: The Abitibi Greenstone Belt, May 19, 2021




Figure Source: Rabeau et. al., 2011, Modified from Gold Potential of a Hidden Archean Fault Zone: The Case of the Cadillac-Larder Lake Fault, VL - 19, DO - 10.2113/gsemg.19.3-4.99, JO - Exploration and Mining Geology ER





CONTROLLING THE CAMP

Applying Abitibi Insights to Guide Exploration and Acquisitions in the South Pass Gold Camp

HOW WE APPLIED THESE ABITIBI INSIGHTS:




Relevant Gold's South Pass Gold Camp fits all the size comparison criteria for an Abitibi-style deposit of multimillion ounce potential.

SECURED BUFFER AROUND PRIMARY SHEAR ZONE

Relevant Gold's 4 district-scale projects in South Pass Camp all fall within a 6 km buffer zone of primary structures, consistent with the Abitibi Belt.

SECURED HIGH-GRADE TARGETS WITH SECONDARY STRUCTURES


Relevant Gold's South Pass Gold Camp consists of secondary shear structures associated with high-grade gold.








SECONDARY SHEARS — SOUTH PASS Herein primary & Reidel P-shear zone buffers







LEWISTON OVERVIEW

HIGH-GRADE

- Relevant Gold rock chip samples up to 62 g/t Au + 8.1% Cu
- Historic reported samples include 1,690 oz/ton Au

DISTRICT-SCALE

- **~14,000** acres (5,665 ha) of BLM mining claims
- **58** acres (23 ha) of patented claims at Hidden Hand mine

SHEAR-HOSTED

- >10km prospective shear zone trend
- Gold hosted in vertical secondary shears


ACTIVELY DRILLING

- 2 of 6 targets permitted; 3rd permit pending
- **1.560 m** drilling exploration program (2023) intersected shear-hosted gold in 10 of 11 holes



Future Exploration Work:

- Phase 2 drilling
- Detailed geophysics
- Drill target refinement







HISTORIC MINING IN LEWISTON



HIDDEN HAND

- 110ft shaft with 640ft of drift prior to 1926 (Henderson, 1926)
- Ore from 30ft level assay 75oz/ton
- One rich ore shoot produce several specimen grade gold samples one assayed at 3,100 oz/ton Au (Pfaff, 1978)

BURR

- First major discovery in Lewiston district multiple shafts, adits and inclines
- Historic assays include some high-grade zones from 25 to 250 oz/ton Au with some rare specimen grade at 1,690 oz/ton Au (Wyoming Industrial Journal, 1901)
- One 16ft wide zone averaged .5 oz/ton. Some sheelite reportedly ran with gold and some samples yielded 2.5 to 75% tungsten oxide

GOODHOPE

- Shallow shaft sunk on N45E trending vertical, chloritized shear zone
- 100ft trench south of the shaft with visible gold
- Grab sample assayed 1.18oz/ton gold (Housel, 1991)
- · Much of the shearzone is unexplored

LONE PINE

- 470ft adit and a shaft
- Narrow shears and breccia zones were crosscut and one narrow vein assayed .61 oz/ton gold (Housel, 1991)
- One channel sample across a hidden shear zone averaged 1.6ppm Au (Housel, 1991)








MINERALIZATION & ALTERATION MODEL


Trace Element Geochemistry

- Lewiston is in the sweet spot for an orogenic gold system.
- As-Ag-Bi-Sb-Te-W
- ♦ > 50% positive correlation to gold in RGC geochemistry



Alteration Assemblage (Abitibi-style)

- Primary: Sericite-Pyrite-Arsenopyrite
- Proximal: Silicification-Chlorite/Epidote
- Distal: Decrease in Chlorite with stock-work silicification








GOLD DEPORTMENT & METALLURGY


Highlights

- 2 composite samples from distinct geochemical mineralization styles
 - Au-As rich veins
 - Au-As-Cu-Ag rich mineralization
- Samples represent deeply <u>oxidized</u> caps of the orogenic gold system
- Generally, these samples contain a significant amount of free gold associated with <u>silicates</u>, <u>arsenates</u>, <u>oxides</u>, and native <u>bismuth</u>














LEWISTON HEAVY HAND DRILLING



Project Design

- ✓ Test 500m corridor of stacked shear zones
- ✓ Alteration & sulfide mineralization under the oxidized zone
- √ 500m+ strike length of shear corridor
- ✓ I ate fault offset & contact zones

<u>Overview</u>


- 1,560m drilled
- Sep 11th start; Nov 13th completion
- ♦ 11 holes drilled HQ core
- ♦ 10 of 11 drill holes intersected shear-hosted Au mineralization
- Intersected shear zones in multiple drill holes up to 200m depth; including known shear zones and blind shear zones
- Confirmed significant alteration, veining and relic sulfides








2023 HEAVY HAND DRILLING MAP & SECTION





"As the first ever drilling program, the widespread gold intercepts intersected within multiple shears at Heavy Hand illustrate a well mineralized, near vertical gold system, just like we see in the Abitibi Gold Belt." – Brian Lentz, CXO





MINERALIZATION & GEOCHEMISTRY

Highlights:

→ Hole 23-LD011:


- 10 m core length averaging 0.35 g/t Au from 273m 283m; including 1 m of 0.96 g/t Au from 273 m 274 m.
- 2 m core length averaging 0.37 g/t Au from 302 m 304 m within fresh Arsenopyrite-Pyrite-Pyrrhotite mineralization.

Hole 23-LD010:

- 5 m core length averaging 0.16 g/t Au from 18 m 23 m.
- 0.7 m core length of 1.72 g/t Au from 78 m 78.7 m.
- o 6 m core length averaging 0.29 g/t Au from 99 m − 105 m.
- o **10 m** core length averaging **0.10 g/t Au** from 137 m 147 m.

≻ Hole 23-LD009:

- 2.4 m core length averaging 0.30 g/t Au from 13.71 16.10 m.
- 4 m core length averaging 0.18 g/t Au from 80 m − 84 m.
- **Hole 23-LD007**: **0.5 m** core length of **1.9 g/t Au** from 69 m-69.6 m.
- → Hole 23-LD002A: 10.34 m core length averaging 0.1 g/t Au from 117.14 m 127.48 m within a larger 33.5 m strongly altered hematite-chlorite-biotite-sericite-sulfide shear zone.









SHEARING - ALTERATION - VEINING



Initial Core Observations (LD002A)

- Distinctive alteration mapped at surface confirmed in core
- Chlorite-Hematite-Sericite-Biotite-Carbonate alteration
- Distinct shear foliation with local crenulations and "wavy" fabric
- Relic sulfide mineralization






340

350

MINERALIZATION & GEOCHEMISTRY



CORPORATE PRESENTATION

23-LD011

- Identified blind mineralized shear zone
- Confirmed continuity of strongly altered shear-zone in hole LD002A (~100m depth)
- Confirmed continuity of primary surface mineralized shear zone to >200m depth
- Drilled beneath oxidized zone into fresh sulfide mineralization (~200m)
- Geochemistry pending

"So far, Heavy Hand checks all the early boxes necessary to quickly evolve into a major gold discovery in Wyoming." – Rob Bergmann, CEO





GOLDEN BUFFALO OVERVIEW

HIGH-GRADE

- Abundant high-grade gold at surface;
 Rock chip assays up to 160+ g/t Au
- Visible coarse gold trenched

DISTRICT-SCALE

- **9,600** Acres (3,884 ha) of BLM mining claims
- 300 acres (121 ha) of patented ground
- >600 acres (242 ha) of private surface land with water rights

SHEAR-HOSTED

- Confirmed large-scale orogenic system
- GBSZ deep-rooted fertile gold structure

DRILLING RESULTS

- Drilled **26** holes and **~3,500m** in 2022 field season (first-ever drill program).
- Shear-hosted gold mineralization in **54%** of holes with top intercept: **1m of 83.8 g/t Au**



Coarse Gold in Shear Zone Quartz Veins



Gold Nuggets



Fine Gold Panned from Surface Materials

GOLDEN BUFFALO SHEAR ZONE (GBSZ)





FIGURE: Map illustrating the primary Golden Buffalo Shear Zone (GBSZ) and interpreted extensions to the west and east identified during the 2022 mapping program.

"The high-grade surface results tie well to what we saw in high-grade drill intercepts about 400 m farther east and indicate we are onto a large fertile system at Golden Buffalo." – Rob Bergmann, CEO






GOLDEN BUFFALO 2023 SUMMARY





GOLDEN BUFFALO 2023 SOIL SAMPLING

High-grade gold from GBMC trench area Coarse Gold in Shear Zone Quartz Veins





Fine Gold Panned from Surface Materials



GOLDEN BUFFALO ACQUISITION


Relevant Gold Buys Out Option Completing Acquisition of 700 Leased Hectares at its Flagship Golden Buffalo Project

DEAL HIGHLIGHTS:

- 88 BLM claims (700 hectares) acquired in the heart of Golden Buffalo
- **\$16.2M** in calendar-driven payments eliminated
- Relevant Gold team strengthened by addition of GBMC principals Jerome Hutchison and Jacob Tyra




Site Supervisor







SHIELD-CARISSA HIGHLIGHTS






SHIELD-CARISSA 2023 RESULTS

Overview

- Program highlights & results:
 - Multiple high-grade gold samples in outcrop including 18.9 g/t gold and 486 g/t silver
 - 35% of samples reported anomalous gold (>0.1 g/t Au)
 - 3 distinct target zones: Hornet, Gold Nugget & Palmetto
 - Connected the mineralized structure between both the B&H and Shields historic mines
 - Identified multiple "wedges" of mafic rocks associated with shear structures and gold mineralization








BRADLEY PEAK GOLD CAMP

	Criteria	Description
~	Structural Setting	 Major shear zones Brittle-ductile transition Complex re-folded folds Rheologic contrasts
	Host Rock	 Amphibolites & greenstones Carbonate facies Iron Formation Maifc and felsic intrusives Komatiites
	Alteration	 Chlorite, Carbonate, Sericite, Epidote, Sulfidation & Silica
	Geochemistry	♦ Au, Ag, As, Bi, Cu, Sb, Pb & Zn
	Mineralization	 Orogenic and intrusion-related gold mineralization systems Confirmed sulfide assemblage related to mineralization
	Land Position	 100% RGC ownership of 281 contiguous unpatented active BLM claims Rural sub-mountainous terrane ~50miles from well established town and infrastructure
	Scalable Opportunity	 Multiple district-scale targets RGC controls 98% of the entire greenstone belt camp
	Permitting	 Streamlined State +/- Federal permitting pathway










BRADLEY PEAK 2023 RESULTS



Overview

- Mapping and sampling identified multiple new district-scale targets
 - ♦ 30 km of <u>newly</u> mapped shear zones
 - Identified new Porphyry intrusive rocks
 - Confirmed intrusive and orogenic style mineralization
- ♦ Sampled 5.3 g/t gold, 107 g/t silver, and 6.25% copper in outcrop
- ♦ 15% of all rock samples reported gold
- ♦ 3 target zones identified:
 - Kortes, Apex, and Deserted Treasure





